

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 March 2009

(For the Period 15 February 2009 to 28 February 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-64037A(1)	Cartridge, High Explosive, 60MM, M888 with Fuze M935 [CUST: AR]	D	1310		AR	17-FEB-2009
M	MIL-DTL-70781A(1)	Cartridge, 60MM: Smoke, Marking - M722A1 Loading, Assembling and Packing [CUST: AR]	D	1310		AR	17-FEB-2009
M	MIL-DTL-63107D(1)	Flare, Aircraft Countermeasure - M206 [CUST: AR]	D	1370		AR	15-JAN-2009
M	MIL-DTL-781H(3) SUP 1	Terminal, Wire Rope Swaging, General Specification for [CUST: CR AS 99 GS5] [REVIEW: 71 AR GL MC MI]	A	1640		GS5	17-FEB-2009
M	MIL-DTL-8878K(1) SUP 1	Turnbuckles, Positive Safetying, General Specification for [CUST: AS 99 GS5] [REVIEW: 71]	A	1640		GS5	17-FEB-2009
M	MIL-DTL-83420M(1)	Wire Rope, Flexible, for Aircraft Control, General Specification for [CUST: AV AS 99 GS5] [REVIEW: 11 71 MI]	A	1640		GS5	17-FEB-2009
M	MS21251M(2)	Turnbuckle Body, Clip Locking [CUST: AV AS 99] [REVIEW: 71 MC]	A	1640		GS5	17-FEB-2009
M	MS21254V(1)	Eye End, Turnbuckle, Clip Locking [CUST: AV AS 99 GS5] [REVIEW: 71 MC]	A	1640		GS5	17-FEB-2009
M	MS21255U(1)	Eye End, Turnbuckle, Clip Locking (for Wire Rope) [CUST: AV AS 99 GS5] [REVIEW: 71]	A	1640		GS5	17-FEB-2009
M	MS33736D(2) NOT 1	Turnbuckle Assemblies, Clip Locking of [CUST: AV AS 99 GS5] [REVIEW: 71 MC]	A	1640		GS5	17-FEB-2009
M	MIL-DTL-13791G	Distributor, Ignition System: Integral Coil, Waterproof 24 Volt [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	25-FEB-2009
M	A-A-58028B	Truck, Fire Fighting, Hazardous Materials (HazMat) Response Vehicle [CUST: 84] [REVIEW: IS]	A	4210	/	84	25-FEB-2009
M	A-A-59619A	Rescue and Salvaging Kit, Hydraulic [CUST: 84]	A	4240	/	84	24-FEB-2009
M	MIL-DTL-26499E(1)	Hose Assembly, Metal, Flexible, Breathing Oxygen [CUST: AV AS 99 CC] [REVIEW: 11 70 71 MC SA SH]	A	4720		CC	24-FEB-2009
N	A-A-59822	Plug Assemblies, Grippers, OD and ID Types for Temporary Pressure Testing of Water, Oil and Gas Transmission Piping [CUST: SH 99] [REVIEW: 03 71 AS CC FAS NP]	A	4730	/	SH	12-FEB-2009
N	A-A-59824	Test Set, Spray Pattern [CUST: 84] [REVIEW: 99]	A	4920	/	84	23-FEB-2009
M	MIL-PRF-39007/8L(1)	Resistor, Fixed, Wirewound (Power Type), Nonestablished Reliability, Established Reliability, and Space Level, Style RWR80 [CUST: CR EC 85 NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CR	24-FEB-2009
M	MIL-PRF-39001E	Capacitors, Fixed, MICA Dielectric, Established Reliability and Nonestablished Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99]	A	5910		CR	18-FEB-2009
M	MIL-PRF-39001/5E	Capacitors, Fixed, MICA Dielectric, Established Reliability, Styles CMR03, CMR04, CMR05, CMR06, CMR07 and CMR08 [CUST: CR EC 85 CC] [REVIEW: 19 AV MC MI]	A	5910		CR	18-FEB-2009
M	MIL-PRF-39018/1H	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU12 (Uninsulated), CU13 (Insulated), and CUR13 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	20-FEB-2009
M	MIL-PRF-39018/2F	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Nonpolarized), Styles CU14 (Uninsulated) and CU15 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	20-FEB-2009
M	MIL-PRF-39018/3G	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU16 (Uninsulated), CU17 (Insulated), and CUR17 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	20-FEB-2009
M	MIL-PRF-39018/4E	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU71 (Insulated) and CUR71 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	20-FEB-2009
M	MIL-PRF-39018/6D	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Established Reliability Style CUR91 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	20-FEB-2009
M	MIL-PRF-39018/7C	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), (Four-Terminal), Established Reliability Style CUR19 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	20-FEB-2009
M	MIL-PRF-49137D	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Molded, Conformal Coated and Metal Cased with Plastic End-Fill, Nonhermetically Sealed, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5910		CR	19-FEB-2009
M	MIL-PRF-49137/1D	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Polar, Molded, Nonhermetically Sealed, Style CX01 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CR	19-FEB-2009
M	MIL-PRF-49137/2D	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Polar, Conformal Coated, Nonhermetically Sealed, Styles CX02 and CX12 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CR	19-FEB-2009
M	MIL-PRF-49137/5C	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Polar, Molded, Nonhermetically Sealed, Style CX05 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CR	19-FEB-2009
M	MIL-PRF-49137/6E	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Polar, Nonhermetically Sealed, Styles CX06 and CX16 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CR	19-FEB-2009
M	MIL-DTL-5423/1F	Boots, Dust and Water Seal, Type A (for Toggle Switches), Style 1 (One-Hole Mounting, Enclosed) Style 1S (RFI-Shielded, One-Hole Mounting, Enclosed) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/2F	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 3 (One-Hole Mounting, Through) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/3D	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 4 (Three-Hole Mounting, Through) [CUST: CR AS 85 CC]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/4E	Boot, Dust and Water Seal, Type A (For Toggle Switches), Style 6 (One - Hole Mounting, Miniature, Enclosed) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/5F	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 7 (One - Hole Mounting, Subminiature, Enclosed) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/6D	Boot, Dust and Water Seal, Type B (for Push-Button Switches), Style 1 (One - Hole Mounting, Adapter Type) [CUST: CR AS 85 CC] [REVIEW: 99 AT CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/7G	Boot, Dust and Water Seal, Type B (for Pushbutton Switches), Style 2 (One - Hole Mounting, Drilled Panel), Style 2S (RFI-Shielded, One - Hole Mounting, Drilled Panel) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/9F	Boots, Dust and Water Seal, Type C (for Use as Rotary-Shaft Seals), Type CS (for Use as RFI-Shielded, Rotary-Shaft Seals) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EA EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/10E	Boots, Dust and Water Seal, Type B (for Push-Button Switches), Style 4 (One-Hole Mounting, Miniature, Drilled Panel) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/11F	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 8 (One-Hole Mounting, Subminiature, Through) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-5423/12D	Boot, Dust and Water Seal, Type A (for Toggle Switches), Style 9 (Five-Hole Mounting, Through) [CUST: CR AS 85 CC] [REVIEW: 99 AR MC SH]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/13D	Boot, Dust and Water Seal, Type D (for Lever Operated Circuit Breakers), Style 1 (Panel Mounted without Mounting Frame) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/14G	Boot, Dust and Water Seal, Type D (for Lever Operated Circuit Breakers), Style 2 (Panel Mounted Complete with Mounting Frame) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 MC SH]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/15H	Boot, Dust and Water Seal, Type B (for Toggle and Pushbutton Switches, Circuit Breakers, and Rotary-Actuated Parts) (for Handset Switches), Style 5 [CUST: CR AS 85 CC]	A	5930		CC	17-FEB-2009
M	MIL-DTL-5423/16E	Boot, Dust and Water Seal, Bushing Seal, Type A (for Toggle Switch 0.469 Diameter) Style 10 (Panel Bushing Seal Only) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC	17-FEB-2009
M	MIL-DTL-22992G SUP 1	Connectors, Plugs and Receptacles, Electrical, Waterproof, Quick Disconnect, Heavy Duty Type, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI OS SH YD]	A	5935		CC	02-FEB-2009
M	MIL-PRF-19500/592E NOT 1	Semiconductor Device, Repetitive Avalanche, Field Effect Transistor, N-Channel, Silicon Types 2N7224, 2N7225, 2N7227, 2N7228, 2N7224U, 2N7225U, 2N7227U, and 2N7228U, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 70 99 AR MI TD]	A	5961		CC	26-FEB-2009
M	MIL-PRF-19500/696A	Semiconductor Device, Field Effect Transistor, Plastic, N-Channel, Silicon, Type 2N7537, 2N7537A, JAN and JANTX [CUST: CR EC 85 CC NA]	A	5961		CC	20-FEB-2009
N	MIL-PRF-19500/714	Semiconductor Device, Field Effect Transistor, Encapsulated Plastic, N-Channel, Silicon, Type 2N7558, 2N7559 2N7560, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA]	A	5961		CC	20-FEB-2009
N	MIL-PRF-19500/715	Semiconductor Device, Field Effect Transistor, Encapsulated Plastic, N-Channel, Silicon, Type 2N7563, 2N764, 2N7565, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA]	A	5961		CC	23-FEB-2009
M	MIL-PRF-19500/745A	Semiconductor Device, Field Effect Transistor, P-Channel, Radiation Hardened (Total Dose and Single Event Effects), Logic-Level Silicon, Types 2N7626UB, 2N7626UBC, JANTXVR, JANTXV, JANSR, and JANSF [CUST: CR EC 85 CC NA]	A	5961		CC	26-FEB-2009
M	MIL-M-38510/107D NOT 1	Microcircuits, Linear, Positive, Voltage Regulators, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/123B NOT 1	Microcircuits, Linear, Cmos, Negative Logic, Analog Switch, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/124D NOT 1	Microcircuits, Linear, Precision Voltage References, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/126C NOT 1	Microcircuits, Linear, Regulating, Pulse Width Modulator, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/148B NOT 1	Microcircuits, Linear, Adjustable, Precision Voltage Reference, Shunt Regulator, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/341F NOT 1	Microcircuits, Digital, Bipolar, Advanced, Schottky TTL, Flip-Flops, Cascadable, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/342A NOT 1	Microcircuits, Digital, Bipolar, Advanced Schottky TTL, 4-Bit Binary Full Adders with Fast Carry, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/343B NOT 1	Microcircuits, Digital, Bipolar, Advanced Schottky TTL, Binary Counters, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/344A NOT 1	Microcircuits, Digital, Bipolar, Advanced Schottky TTL, Decade Counters, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/345C NOT 1	Microcircuits, Digital, Bipolar Advanced Schottky TTL, Exclusive or Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/346C NOT 1	Microcircuits, Digital, Bipolar, Advanced Schottky TTL, Transparent and Octal D Type Latches, Cascadable, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/347A NOT 1	Microcircuits, Digital, Bipolar, Advanced Schottky TTL, 8-Bit Identity Comparator, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/348C NOT 1	Microcircuits, Digital, Bipolar, Advanced Schottky TTL, Bus Transceivers with Three-State Outputs, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-M-38510/349B NOT 1	Microcircuits, Digital, Bipolar Advanced Schottky TTL, Parity Checker, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	A-A-59163 NOT 2	Insulation Tape, Electrical, Self Adhering Unsupported Silicone Rubber [CUST: MI 85 GS4] [REVIEW: 99]	A	5970	/	GS4	26-FEB-2009
M	A-A-59300 NOT 2	Insulation Tape, Nonadhering, Glass Fabric, Polytetrafluoroethylene Coated [CUST: CR OS 85 GS4] [REVIEW: 99 AS EC MI SH]	A	5970	/	GS4	26-FEB-2009
N	MIL-PRF-85045/30	Cable, Fiber, Optic, Radiation Hardened, Cable Configuration Type 1 (Buffered Fiber), Application E (Ground Tactical), Cable Class SM, (Metric) [CUST: CR SH 85 CC] [REVIEW: 13 19 93 AS DI]	A	6015		CC	19-FEB-2009
M	MIL-DTL-55668D	Cord, Electrical; Audio, Subminiature (Retractable and Straight) [CUST: CR CC]	A	6145		CC	20-FEB-2009
M	MIL-DTL-83413/8C(1)	Connectors and Assemblies, Electrical, Aircraft Grounding: Type IV Jumper Cable Assembly, Lead, Electrical [CUST: AV AS 85 CC] [REVIEW: 02 71 99 AR CR CR4 GS MC MI]	A	6150		CC	18-FEB-2009
N	A-A-59823	Load Bank, Electrical 28 Volts DC, 350 AMPS [CUST: 84]	A	6150	/	84	19-FEB-2009
M	MIL-DTL-38394E	Transmitter, Pressure TRU-81/A, Oil, 0-500 PSI [CUST: 99 GS1] [REVIEW: 11 71]	A	6620		GS1	16-FEB-2009
M	QPL-7084-17 NOT 1	Indicator, Pressure, Hydraulic, 0-4,000 PSI (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6685		71	19-FEB-2009
M	A-A-55821A	Calcium Hydroxide, Technical [CUST: EA SH 68 GS3] [REVIEW: MC SA YD]	A	6810	/	GS3	24-FEB-2009
M	A-A-55823A	Aluminum Sulfate, Technical [CUST: EA SH 68 GS3] [REVIEW: MC MD SA YD]	A	6810	/	GS3	24-FEB-2009
M	QPL-85570-11 NOT 1	Cleaning Compounds, Aircraft, Exterior (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6850		AS	17-FEB-2009
M	MIL-PRF-24596B	Coating Compounds, Nonflaming, Fire-Resistant [CUST: SH]	A	8010		SH	19-FEB-2009
M	MIL-DTL-53039C	Coating, Aliphatic Polyurethane, Single Component, Chemical Agent Resistant [CUST: MR AS 99] [REVIEW: 11 84 CG MD1 MI SH]	A	8010		MR	19-FEB-2009
N	MIL-DTL-3628/249	Badge, Recruiting and Retention, Army National Guard [CUST: IH] [REVIEW: CT]	A	8455		IH	20-FEB-2009
M	A-A-20051E	Puddings, Shelf Stable, Ready-to-Eat [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8940	/	SS	10-FEB-2009
M	MIL-DTL-46100E(1) NOT 1	Armor Plate, Steel, Wrought, High-Hardness [CUST: MR] [REVIEW: AR AT IS TE]	A	9515		MR	11-FEB-2009
M	MIL-STD-6016D	Tactical Data Link (TDL) 16 Message Standard [CUST: CR2 NM 44] [REVIEW: 93 AS AV]	C	INST		DC2	12-DEC-2008

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS17133B(1) NOT 2	Bearing, Roller, Self-Aligning, Double Row [CUST: AT 11 GS4]	A	3110		GS4	18-FEB-2009
M	MS21430B	Valve, Check, Fuel and Air, Poppet Type, Zero, Leak [CUST: AV AS 99 CC] [REVIEW: 71 CR4 MI]	A	4820		CC	09-FEB-2009
M	MIL-C-39018/10B	Capacitors, Fixed, Electrolytic (Aluminum Oxide)(Polarized), Established Reliability, Style CUR92 (Insulated) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	20-FEB-2009
M	MS39347A NOT 4	Terminal, Post, Service and Ground [CUST: CR4 MC GS4] [REVIEW: AS SH]	A	5940		GS4	26-FEB-2009
M	MIL-M-38510/301F NOT 1	Microcircuits, Digital, Bipolar Low-Power Schottky TTL, Flip-Flops, Cascadable, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-FEB-2009
M	MIL-DTL-13241C	Wire, Electrical; Antenna, (Wire WS-12()/U and Wire WS-13()/U) [CUST: CR CC]	A	6145		CC	20-FEB-2009
M	MIL-DTL-13276C	Wire, Electrical; Antenna, (Wire W-28) [CUST: CR CC]	A	6145		CC	20-FEB-2009

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-5886/1A NOT 3	Cylinder, Aircraft Oxygen, Low Pressure, Nonshatterable (S/S by MIL-DTL-5886) [CUST: AV AS 71] [REVIEW: 11]	A	1660		71	13-FEB-2009
M	QPL-81561/3-1 NOT 3	Life Preserver, Inflatable, Aircrewmen, Heat Sealed with Inflation Device, Type LPU-21D/P (S/S by QPL-81561)	A	4220		AS	18-FEB-2009
M	QPL-81561/4-1 NOT 3	Life Preserver, Inflatable, Aircrewmen, Heat Sealed without Inflation Device, Type LPU-23C/P (S/S by QPL-81561)	A	4220		AS	18-FEB-2009
M	QPL-81561/6-1 NOT 3	Life Preserver, Inflatable, Yoke, Heat Sealed, Type LPU-32/P (S/S by QPL-81561)	A	4220		AS	18-FEB-2009
M	MIL-R-19180B NOT 2	Regulator, Pressure, Compressed Gas (No S/S Document) [CUST: AR SH 99 CC] [REVIEW: 11]	A	4820		CC	10-DEC-2008
M	API-STD-594	Wafer and Wafer-Lug Check Valves (No S/S Document) [CUST: CR4 YD 99 CC] [REVIEW: 71 CE MC]	A	4820		CC	13-FEB-2009
M	MIL-R-39008/2F NOT 3	Resistors, Fixed, Composition (Insulated), Established Reliability, Style RCR20 (See Notice 3 for Replacement Information) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905		CR	09-JAN-2009
M	TT-P-54C(1) NOT 1	Paint, Phosphorescent, Ready-Mixed (Non-Radioactive) (S/S by ASTM-E2072)	A	8010	#	FAS	18-DEC-2008
M	MIL-DTL-3628/117C NOT 1	Badge, Identification, Recruiting and Retention, Master, Army National Guard (S/S by MII-DTL-3628/249) [CUST: IH] [REVIEW: CT]	A	8455		IH	20-FEB-2009
M	MIL-DTL-3628/152C NOT 1	Badge, Identification, Recruiting and Retention, Army National Guard (S/S by MIL-DTL-3628/249) [CUST: IH] [REVIEW: CT]	A	8455		IH	20-FEB-2009
M	MIL-STD-2138A(1) NOT 2	Metal Sprayed Coatings for Corrosion Protection Aboard Naval Ships (Metric) (See Notice 2 for Replacement Information) [CUST: SH]	A	MFFP		SH	19-FEB-2009